

Work Order ID 66651

Wednesday, February 23, 2011 1:09:25 PM



Page 1

Item ID: D3594-5

Accept



Setup Start



Revision ID:

Stop



Item Name: Door Doubler

Start Date: 2/23/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 3/4/2011 Req'd Qty: 6.00



Customer:

Reference:

Approvals:

Process Plan: CL

Date: 11/02/23

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3594	Rev B								

100

0.00



FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3594 ☐ Dwg Rev: B ☐ Prog Rev: B ☐ 2-
Deburr if necessary

B11-2-28

(15)

110

0.00



QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

B11-2-28

120

0.00



QC8- Inspect parts - second check

QC

Memo

0.00

Quality Control

Sulov/28

(15)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

* NOTE: Date & initial all entries

Work Order ID 66651

Wednesday, February 23, 2011 1:09:25 PM

Page 2

Item ID: D3594-5

Accept

Setup Start

Revision ID:

Stop

Item Name: Door Doubler

Start Date: 2/23/2011 Start Qty: 6.00

Cust Item ID:

Required Date: 3/4/2011 Req'd Qty: 6.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130



Small Fab

Small Fab

0.00

Memo

0.00

Small Fab

1-C'SINK AS [PER dwg d3594

E. Sullivan 11/02/28 (15)

140



QC

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

Memo

0.00

Sullivan 11/02/28

(10)

150



HandFinish

Hand Finishing

Chemical Conversion Coat per QSI005 4.1

0.00

Memo

0.00

EMD 11/02/28 (15x)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

* NOTE: Date & initial all entries

Work Order ID 66651

Page 3

Wednesday, February 23, 2011 1:09:25 PM

Item ID: D3594-5

Accept



Setup Start



Revision ID:

Stop



Item Name: Door Doubler

Start Date: 2/23/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 3/4/2011 Req'd Qty: 6.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00				15	BR	11-2-28	
170 Packaging Packaging	Identify as per dwg & Stock Location: <u>ST</u> <u>234A</u> Memo	0.00 0.00						11/03/01 (15)	
180 QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00						11/03/01 CL11/03/01	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, February 23, 2011 1:09:21 PM

Page 1

Work Order ID: 66651



Parent Item: D3594-5



Parent Item Name: Door Doubler

Start Date: 2/23/2011

Required Date: 3/4/2011

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP Rev :A New Issue 08.07.07 EC verified by DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M6061T6S.080

Purchased

No

100

sf

247.6000

0.055

0.347368

~~#~~ 1.



Kit-2-28

6061-T6 .080 Sheet

Location

Loc Qty

Loc Code

MAT

247.6

116268

55.6

116700

192

116700

(15)


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries




D3594-041 DOOR DOUBLER ASSEMBLY



D3594-5 DOOR DOUBLER



D3594-043 FLOOR DOUBLER ASSEMBLY





D3594-044 FLOOR DOUBLER ASSEMBLY

OBJECT TO AMEND.
WITHOUT NOTICE
WORK ORDER
NO. 106651
CX11102/23


RELEASED
080261P

B	REFORMAT TO B SIZE DRAWING. SHEET 2 ADD -5.	AJS	08.05.14
A	NEW ISSUE	MB	07.04.13
REV.	DESCRIPTION	BY	DATE
DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3594 TITLE DOUBLER REV. B SHEET 1 OF 4 SCALE NTS	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>		
MFG. APPR.	<i>[Signature]</i>		
APPROVED	<i>[Signature]</i>		
DE APPR.	<i>[Signature]</i>	DATE 08.05.14 <small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	


QTY. -041	PART NUMBER	DESCRIPTION
X	D3594-041	DOOR DOUBLER ASSEMBLY
1	D3594-1	DOOR DOUBLER
1	MS21069L5	ANCHOR NUT
2	MS20426AD4-4	RIVET, CSK



4 D3594-041 DOOR DOUBLER ASSEMBLY




**DETAIL A
SCALE 2X**



D3594-1 DOOR DOUBLER

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 66651



5 D3594-5 DOOR DOUBLER

NOTES:


- 1) MATERIAL: -1 & -5
6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.080 THICK,
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M6061T6S.080)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3594-041" USING FINE POINT PERMANENT INK MARKER
- 5) IDENTIFY WITH DART P/N "D3594-5" USING FINE POINT PERMANENT INK MARKER
- 6) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 7) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) WEIGHT -041: 0.04 lbs
-5: 0.03 lbs

DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D3594	REV. B
MFG. APPR.		TITLE DOUBLER	SCALE NTS
APPROVED		COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	
DE APPR.			
DATE	08.05.14		


RELEASED
68-06-26/14

QTY. -043	QTY. -044	PART NUMBER	DESCRIPTION
X		D3594-043	FLOOR DOUBLER ASSEMBLY, LH
	X	D3594-044	FLOOR DOUBLER ASSEMBLY, RH
1		D3594-3	FLOOR DOUBLER, LH
	1	D3594-4	FLOOR DOUBLER, RH
1	1	MS21069L5	ANCHOR NUT
2	2	MS20426AD4-4	RIVET, CSK

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 66651



D3594-043 FLOOR DOUBLER ASSEMBLY




D3594-044 FLOOR DOUBLER ASSEMBLY

NOTES:

- 1) MATERIAL: -3 & -4
6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.080 THICK,
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M6061T6S.080)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3594-043/-044" USING FINE POINT PERMANENT INK MARKER
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) WEIGHT -043 & -044: 0.80 lbs

DESIGN	MB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3594	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		DOUBLER	NTS
DATE	08.05.14	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED
108.06.28.14



RELEASED
08.05.14